

GE Profile™ 2.1 Cu. Ft. Over-the-Range Sensor Microwave Oven *Model# PVM9005FMDS*



- 2.1 cu. ft. capacity 1050 Watts (IEC-705 test procedure)
- Chef Connect Three options with a single touch. For instant convenience, choose when to automatically sync clocks and the range elements with the microwave's surface light and vent
- Bottom control with integrated handle Enjoy a sleek appearance that makes cleaning easy
- Four-speed, 400CFM venting system Removes smoke, steam and odors
- 10 power levels Multiple power levels offer cooking flexibility
- "Add 30 seconds" button Add 30 seconds of microwave cooking time
- Turntable On/Off Controls turntable operation
- Sensor cooking controls Automatically adjusts time and power for delicious cooking results

FEATURES	
Display Type	LED
Microwave Sensor Cooking Controls	Auto Cook Defrost Popcorn Potato Reheat Steam Cook
Electronic Digital Display with Clock	Scrolling (LED with icons)
Display Screen Size (Diagonal Length)	3.13
Cooking Modes	Microwave
Style	Over-The-Range
Microwave Watts (IEC-705)	1050W
Turntable On / Off	Yes
Power Levels	10
Control Type	LED
Cooktop Lighting	Bright/Night/Off Halogen
Control Features	Add 30 Seconds Cancel/Off Chef Connect Lock Controls Power Level Set Clock Settings Start/Pause Surface Light Timer On/Off Vent Fan
Product Type	Over-the-range Microwave
Program Cooking	Yes (Option Pad)
Sound Volume Control	Yes
Turntable	Glass
Range Communication	Connected
Cooking Technology	Microwave
Microwave Oven Interior	Easy Clean Interior
Exhaust Fan	3-Speed including Boost 400-CFM
Turntable Size	14.25in
Interior Oven Light	Incandescent (3)

Have more questions? Please contact 1-800-626-2000



GE Profile™ 2.1 Cu. Ft. Over-the-Range Sensor Microwave Oven Model# PVM9005FMDS

APPROXIMATE DIMENSIONS(HxDxW)

16 9/16 H x 29 7/8 W x 15 9/16 D

CAPACITY

- Total Capacity (cubic feet) 2.10cu ft
- Vent CFM 400

ECONOMICAL / QUIET

- Non-Vented Convertible to Recirculating (Filter Included)
- Venting Type Externally Vented (Factory Set)

APPEARANCE

- · Oven Door Features Oven Window
- Installation Easy Mount
- Door Color Black Slate
- Case Color Gray
- Handle Pocket Handle
- Color Appearance Fingerprint Resistant Black Slate

WEIGHTS & DIMENSIONS

- Approximate Shipping Weight (lb) 65lb
- Cabinet Width (in) 30in
- Net Weight (lb) 58lb
- Exterior Height (Front) (in) 15 11/16in
- Overall Width (in) 29 7/8in
- Overall Depth (in) 15 9/16in
- Overall Height (in) 16 9/16in
- Exterior Height (Rear) (in) 16 9/16in
- Cavity (W x H x D) 23-5/32 x 10-5/32 x 15-3/16

POWER / RATINGS

- Input Volts/Hertz 120/60
- Electrical Input 120V Amperage 15.0
- Electrical Input 120V Watts 1700

ACCESSORIES

- Optional Kits 15" Bump Out Kit JX15BUMPBB
- Recirculating Charcoal Filter Kit WB06X10807 (included)

WARRANTY

- Labor Warranty Limited 1-year entire appliance
- Parts Warranty Limited 1-year entire appliance Limited 5-year magnetron tube
- Warranty Notes See written warranty for full details

CERTIFICATIONS

Claims & Certifications - California Prop 65
 View Chemical Content Reports

Have more questions? Please contact 1-800-626-2000